



Leading in
LED LIGHTING
JAN-2025



PRODUCT PORTFOLIO

www.listerled.com



ABOUT US

Adsun Lighting Pvt. Ltd. is a leading manufacturer of an extensive range of LED LIGHT with smart features, our expertise goes far beyond, enabling us to support the product through every stage of design, development, manufacture, and delivery. Through our innovative and intuitive technology, we're pioneering a manufacturing evolution by making the process easier and faster. From imperative and strong R&D capability to in-house manufacturing and wholesale and distribution, Adsun has become the best partner providing quality design and manufacturing services to top-notch brands worldwide. All our products are competitive enough and are complete value for money. **"Quality is what we focus on,"** and with this motto, we tend to expand our horizons and capture the market by designing and building intelligent products and manufacture with sustainability in mind. The company continues to seek innovation to stay ahead of the fast moving technology industry and with a higher rate of customer satisfaction, Adsun promises to accomplish many more milestones in the near future.

INFRASTRUCTURE

- Total operational area of 50000 square feet long.
- Facilities for employees – Apart from salary, ESIC, Canteen.
- Easy access to the manufacturing unit.
- The unit is established within the industrial area adhering to guidelines by governing authorities.
- Newly built structure.
- Proper water and electricity supply.

MISSION & VISION

At Adsun, we are committed to being real leaders. We are passionate about investing in technology as well as our customers by offering a range of extra services designed specifically around our clients' needs. With our innovative ideas and deep industry knowledge, we aim to take Adsun to new heights.





SET-UP WE HAVE

- Pressure Die Casting
- Injection Moulding
- Powder Coating Section
- LED Driver Unit
- Packaging Unit

- BUFFING & DRILLING SET-UP
- PRE-TREATMENT
- SMT SECTION
- MI SECTION
- CNC ROUTER
- ASSEMBLING SECTION
- IQC | PQC | OQC
- R & D AND PDI SET-UP

Registration Certificate

This is to certify that

ADSUN LIGHTING PVT. LTD.

PLOT NO. 110, PHASE-IV, SECTOR-56, HSIDC, INDL. AREA, KUNDLI, SONEPAT, HARYANA-131028, INDIA

PLOT NO. 366, INDUSTRIAL ESTATE, PHASE-V, HSIDC SECTOR 56, KUNDLI, HARYANA-131028, INDIA

has been assessed and certified by RBS Cert. as meeting the requirements of

ISO 9001:2015

Quality Management System

For the following scope of activities:

MANUFACTURING OF LED PANEL LIGHT (ULTRASLM/ ULTRA SURFACE/ CONCEALED LIGHT, LED DRIVER, STREET LIGHT, FLOOD LIGHT, SMPs, LED BULB & TUBELIGHT.

Date of initial Registration: 13th November 2024 2nd Surveillance Audit Due: 12th November 2026
1st Surveillance Audit Due: 12th November 2025 Recertification Due: 12th November 2027

Certificate Number 2016081012476R

Validity of this certificate is subject to Annual Surveillance audits to be done successfully on or before 365 days from date of the Audit. (In case Surveillance Audit is not performed the certificate will be considered as suspended unless otherwise stated.)
This Certificate of registration remains the property of RBS Quality Certification Pvt. Ltd. and shall be returned immediately upon request.
Email : info@rbscert.com website : www.rbscert.com

RBS Quality Certification Pvt. Ltd. is accredited to ISO 9001:2015 International Standard
Kansh Nagar 18B, City Road, London, United Kingdom, EC2A 4NE, UK

Certificate of Compliance

CE

We hereby declare that the technical file of product complied with the requirement of directives 2006/42/EC Machinery Directive & 97/23/EC Pressure Equipment Directive.

Certificate No.: CE-5162

Name: **ADSUN LIGHTING PVT. LTD.**
Address: **PLOT NO. 110, PHASE-IV, SECTOR-56, HSIDC, INDL. AREA, KUNDLI, SONEPAT, HARYANA-131028, INDIA**

Product: **PLOT NO. 366, INDUSTRIAL ESTATE, PHASE-V, HSIDC SECTOR 56, KUNDLI, HARYANA-131028, INDIA**
MANUFACTURING OF LED PANEL LIGHT (ULTRASLM/ ULTRA SURFACE/ CONCEALED LIGHT, LED DRIVER, STREET LIGHT, FLOOD LIGHT, SMPs, LED BULB & TUBELIGHT)

The Certificate holder has performed an audit of the above product quality system covering the design, manufacture and final inspection of the certified product. The quality system has been assessed, approved and is subject to continuous surveillance according to Directive 2006/42/EC Machinery Directive & 97/23/EC Pressure Equipment Directive.

This certificate is issued under the following conditions:

- It applies only to the quality system maintained in the manufacture of above referenced models and it does not substitute the design or type-examination procedures, if requested.
- The certificate remains valid until the manufacturing conditions or the quality systems are changed.
- The certificate validity is conditioned by positive results or surveillance audits.
- The CE mark as shown above can be used, under the responsibility of the manufacturer, after completion of an EC Declaration of conformity and compliance with all relevant EC Directives. The statement is based on a single evaluation of one sample of above mentioned product. It does not imply an assessment of the whole production.

Validity of this certificate can be verified at www.rbscert.com/en/verify

Date of initial registration: 13th November 2024
1st Surveillance Audit due: 12th November 2025
2nd Surveillance Audit due: 12th November 2026
Recertification due: 12th November 2027
(Subject to the company maintaining its system to the required standard)

Validity of this certificate is subject to Annual Surveillance audits to be done successfully on or before 365 days from date of the Audit. (In case Surveillance Audit is not performed the certificate will be considered as suspended unless otherwise stated.)
This Certificate of compliance remains the property of RBS Quality Certification Pvt. Ltd. and shall be returned immediately upon request.
Email : info@rbscert.com website : www.rbscert.com

RBS Quality Certification Pvt. Ltd. is accredited to ISO 9001:2015 International Standard
Kansh Nagar 18B, City Road, London, United Kingdom, EC2A 4NE, UK

Certificate of Compliance

RBS Directive (2002/95/EC) of the European Parliament and of the Council on the restriction of Use of certain Hazardous Substances in Electrical and Electronic Equipments.

Certificate No. - **UR-5168**

Manufacturer Name: **ADSUN LIGHTING PVT. LTD.**
Address: **PLOT NO. 110, PHASE-IV, SECTOR-56, HSIDC, INDL. AREA, KUNDLI, SONEPAT, HARYANA-131028, INDIA**

Product: **PLOT NO. 366, INDUSTRIAL ESTATE, PHASE-V, HSIDC SECTOR 56, KUNDLI, HARYANA-131028, INDIA**
MANUFACTURING OF LED PANEL LIGHT (ULTRASLM/ ULTRA SURFACE/ CONCEALED LIGHT, LED DRIVER, STREET LIGHT, FLOOD LIGHT, SMPs, LED BULB & TUBELIGHT)

This is to state that the above mentioned product is in compliance with RoHS Directive (2002/95/EC) of the European Parliament and Commission Decision 2005/618/EC on the restriction of use of certain Hazardous Substance [Lead (Pb), Mercury (Hg), Cadmium (Cd), Hexavalent Chromium (Cr+6), Polybrominated Biphenyls (PBBs) and Polybrominated Diphenyl ethers (PBDEs)] in Electrical and Electrical Equipments

Statement:
This certificate declares that the product type / model describe above complies with the mentioned above European Standard(s)

Remarks:
This certificate of compliance is based on the evaluation of a sample of the above mentioned products. It does not imply an assessment of the mass-production of the product. This certificate holder may use this certificate in connection with the test report. The certification body should be informed (revision of technical file) for any modification or alterations made to the aforementioned product type(s), including design and manufacture and/or extension to the existing scope of application.

Date of initial Registration: 13th November 2024 2nd Surveillance Audit Due: 12th November 2026
1st Surveillance Audit Due: 12th November 2025 Recertification Due: 12th November 2027

Validity of this certificate is subject to Annual Surveillance audits to be done successfully on or before 365 days from date of the Audit. (In case Surveillance Audit is not performed the certificate will be considered as suspended unless otherwise stated.)
This Certificate of compliance remains the property of RBS Quality Certification Pvt. Ltd. and shall be returned immediately upon request.
Email : info@rbscert.com website : www.rbscert.com

RBS Quality Certification Pvt. Ltd. is accredited to ISO 9001:2015 International Standard
Kansh Nagar 18B, City Road, London, United Kingdom, EC2A 4NE, UK



MANUFACTURE

FROM CONCEPT TO MANUFACTURE, ALL UNDER ONE ROOF



Pressure Dia Casting

**Total 10 Machine
Capacity 25K Qty/Day**



Buffing Unit

Capacity 25K Qty/Day



Drilling Section

Capacity 25K Qty/Day



Pre Treatment Process

Capacity 25K Qty/Day



Powder Coating

**Capacity 25K Qty/Day Powder
Coating**



Injection Moulding

**Total 12 Machine
Capacity 60K Qty/Day**

MANUFACTURE

FROM CONCEPT TO MANUFACTURE, ALL UNDER ONE ROOF



CNC Router



Packing & Master Carton



SMT Section

Capacity Rated 55 lakh Qty/Day SMT Mounting



MI SECTION

Capacity 60K Qty/Day SMPS and Driver



Indoor Assembling

Capacity 50K Qty/Day



Automatic LED Bulb Manufacturing Section

Capacity 50K Qty/Day

MANUFACTURE

FROM CONCEPT TO MANUFACTURE, ALL UNDER ONE ROOF



Laser Printing Section



Street & Flood Light (Outdoor Section)

Capacity Rated 15K Qty/Day




Aging Section (Indoor & Outdoor)



R&D Section

IP Testing Unit



Quality Section



Sales Team

FROM CONCEPT TO MANUFACTURE, ALL UNDER ONE ROOF



Assembly Lines



Silent Testing Room



BLDC Winding



Surge Testing Machine



Winding section



CNC Machine

FAN PRODUCTION UNIT

IN HOUSE R&D DEPARTMENT

ONE OF THE BEST LIGHTING INDUSTRY R&D DEPARTMENTS IN ADSUN LIGHTING



FULL LUMINAIRE DEVELOPMENT

One of the best-equipped & staffed R&D departments in Adsun Lighting, Delivering seamless industrial Optical, Thermal, Electronic & mechanical design & custom product development.


LIGHTING QUALITY STANDARD

Lighting Quality Standard helps lighting professionals & customers understand how to choose the perfect luminaire.



CUSTOMISATION CAPABILITY

CUSTOMIZED SOLUTIONS READY TO MEET ALL REQUIREMENTS



PROJECTS-LIGHTING SOLUTIONS

INNOVATIVE LIGHTING SOLUTIONS EASY TO SELL, SIMPLE TO IMPLEMENT & BENEFICIAL TO USE



RETAIL



OFFICE
& EDUCATION



STREET
& URBAN



INDUSTRY



ARCHITAINMENT



HEALTH
& CARE



HOTEL
& GASTRO



SPORT

WHY DO BUSINESS WITH US?

- Quality Products with High Efficiency and Warranty Period
- Ability to Respond Quickly to Customer Requirements
- In-House Research and Development Center
- Ability to Produce Rapid In-house Prototypes
- Ultra-Competitive Price to Quality Ratio
- The strong position at lighting market
- A Short Time to Develop New Products
- Customer Oriented Company
- In-House Innovation Centre
- A Quick Delivery

Table of Contents







01	AD-101	Slim Panel Light		AD-102	Surface Panel Light	
02	AD-106	Downlight Panel Light		AD-106	Surface Ring	
03	AD-107	LED 2x2 Backlit Panel Light		AD-108	LED Panel Light	
04	AD-112	LED Double Colour Panel Light		AD-116	LED Panel Down Light	
05	AD-118	LED Rimless Surface Panel Light		AD-206	Ginger Model Flood Light	
06	AD-208	LED Flood Light		AD-209	LED High Bay Light	
07	AD-211	LED Flood Light		AD-301	LED Flood Light	

Table of Contents

08	AD-301	Lens Model Street Light		AD-303	LED Street Light				
09	AD-401	COB Button Light		AD-402	Stricker LED Light				
10	AD-501	Driver (Street & Flood Light)		AD-502	Panel Light Driver				
11	AD-503	Ultra Slim SMPS		AD-506	LED Strip Light				
12	AD-507	LED Rope Light		AD-601	Deep Sine Downlight		AD-602	Glory Surface Light	
13	AD-603	PC Concealed DownLight		AD-605	AL Concealed DownLight		AD-606	Junction Box Light	
14	AD-607	LED PC DownLight		AD-614	COB Concealed Light		AD-617	Deep Junction Light	

Table of Contents

15	AD-619 LED COB DownLight		AD-620 LED Concealed Light		AD-626 LED Concealed Light	
16	AD-627 LED Concealed Light		AD-701 Bulk-HEAD Fitting			
17	AD-703 Bulk-HEAD Fitting		AD-704 LED Street Light			
18	AD-705 Bulk-HEAD Fitting		AD-706 Bulk-HEAD Fitting			
19	AD-802 Trimless Deep Cob light		AD-803 Led Movable COB Light			
20	AD-805 Cylinder COB Led Light		AD-807 LED Wall Light UP/Down		AD-810 LED Wall Light	
21	AD-059 LED Wall Light		AD-525 Led Step Light			

Table of Contents

22

AD-818

COB
Track Light



AD-819

Cob
Wall Light



23

AD-902

LED Bulb
0.5W



AD-903

LED
Bulb



24

AD-903

Emergency
Led Bulb



AD-904

T-BULB



25

AD-120

LED
Batten
Light



AD-121

LED
Batten
Light



26

BLDC
FANS



BLDC
FANS



27 & 28

Certificates



AD-101 SLIM PANEL LIGHT

CUBA
SERIES



AVAILABLE IN : ROUND & SQUARE SHAPE

COLOUR : ○ ● ○ ● ○ ● ○ ●

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Cut-Out Size (Inch)	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-101-3W	3W	3 Inch	≥ 0.5	≥ 2.5 KV	180	IP-20	85x85x22 mm	Aluminium	40 Pcs.
AD-101-8W	8W	4 Inch	≥ 0.5	≥ 2.5 KV	560	IP-20	120x120x21 mm	Aluminium	40 Pcs.
AD-101-12W	12W	5 Inch	≥ 0.95	≥ 4.0KV	960	IP-20	145x145x22 mm	Aluminium	30 Pcs.
AD-101-15W	15W	6 Inch	≥ 0.95	≥ 4.0KV	1200	IP-20	170x170x22 mm	Aluminium	30 Pcs.
AD-101-18W	18W	7 Inch	≥ 0.95	≥ 4.0KV	1440	IP-20	190x190x22 mm	Aluminium	20 Pcs.
AD-101-22W	22W	8 Inch	≥ 0.95	≥ 4.0KV	1760	IP-20	220x220x22 mm	Aluminium	20 Pcs.

AD-102 SURFACE PANEL LIGHT

BOOST
SERIES



AVAILABLE IN : ROUND & SQUARE SHAPE

COLOUR : ○ ● ○ ● ○ ● ○ ●

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-102-8W	8W	≥ 0.5	≥ 2.5 KV	560	IP-20	120x120x35 mm	Aluminium	40 Pcs.
AD-102-15W	15W	≥ 0.95	≥ 4.0KV	1200	IP-20	170x170x35 mm	Aluminium	20 Pcs.
AD-102-22W	22W	≥ 0.95	≥ 4.0KV	1760	IP-20	224x224x35 mm	Aluminium	20 Pcs.



AD-106 PC DOWNLIGHT PANEL LIGHT

BLASTER
SERIES



15W AVAILABLE IN (3IN1 COLOUR)

AVAILABLE IN : ROUND & SQUARE SHAPE


Green LED | Life 25000hrs | High Efficiency

COLOUR : ○ ● ○ ● ● ● ● ●

Product Code	Watt	Cut-Out Size (Inch)	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-106-8W	8W	4 Inch	≥ 0.95	≥ 4.0KV	640	IP-20	116x116x35 mm	PC	30 Pcs.
AD-106-12W	12W	5 Inch	≥ 0.95	≥ 4.0KV	960	IP-20	144x144x35 mm	PC	30 Pcs.
AD-106-15W	15W	6 Inch	≥ 0.95	≥ 4.0KV	1200	IP-20	166x166x35 mm	PC	30 Pcs.
AD-106-22W	22W	8 Inch	≥ 0.95	≥ 4.0KV	1760	IP-20	220x220x35 mm	PC	20 Pcs.

AD-106 SURFACE RING

BLASTER
SERIES



AVAILABLE IN : ROUND & SQUARE SHAPE

Product Code	Watt	Product Type	Size : LxWxHxT Dia x High x Thickness	Mounting Size in mm	Weight gm	Qty in Master Carton
AD-106-8W	8W	ROUND	117x33.5x1.85mm	98 mm	42	30 Pcs.
AD-106-8W	8W	SQUARE	117.5x117.5x33.5x1.8mm	93 mm	50	30 Pcs.
AD-106-15W	15W	ROUND	166x33.5x2mm	145 mm	60	30 Pcs.
AD-106-15W	15W	SQUARE	166.5x166.5x32.5x2mm	144 mm	80	30 Pcs.
AD-106-22W	22W	ROUND	220x33x2.5mm	198 mm	90	20 Pcs.
AD-106-22W	22W	SQUARE	220x220x32.5x2.2mm	200 mm	95	20 Pcs.



AD-107 LED 2X2 BACKLIT PANEL LIGHT

**CRUISER
SERIES**



AVAILABLE IN : SQUARE SHAPE

COLOUR : ○

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Cut-Out Size (mm)	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-107-40W	40W	24x24 Inch	≥0.95	≥ 4 KV	4320	IP-20	600x600x35	Aluminium	6 Pcs.

AD-108 LED PANEL LIGHT

**COSMIC
SERIES**



AVAILABLE IN : ROUND & SQUARE SHAPE

COLOUR : ○●○

Green LED | Life 25000hrs | High Efficiency



Product Code	Watt	Cut-Out Size (Inch)	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-108-3W	3W	3 Inch	≥0.5	≥ 2.5KV	180	IP-20	88.5x88.5x16	Aluminium	40 Pcs.
AD-108-8W	8W	4 Inch	≥0.95	≥ 4 KV	560	IP-20	120x120x17	Aluminium	40 Pcs.
AD-108-15W	15W	6 Inch	≥0.95	≥ 4 KV	1200	IP-20	165.5x165.5x16	Aluminium	30 Pcs.
AD-108-22W	22W	8 Inch	≥0.95	≥ 4 KV	1760	IP-20	223x223x17	Aluminium	20 Pcs.



AD-112 LED DOUBLE COLOUR PANEL LIGHT

VELVET
SERIES

&
AD-113
(With Surface)



AVAILABLE IN : ROUND & SQUARE SHAPE


COLOUR : ○+●, ○+●
○+● & ○+●●●

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Cut-Out Size (mm)	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-112-3+3W	3+3W	3 Inch	≥ 0.5	≥ 2.5KV	210	IP-20	105x105x25 mm	Aluminium	40 Pcs.
AD-112-6+6W	6+6W	4 Inch	≥ 0.95	≥ 2.5KV	420	IP-20	145x145x25 mm	PC	40 Pcs.
AD-112-12+4W	12+4W	6 Inch	≥ 0.5	≥ 2.5KV	840	IP-20	145x145x25 mm	Aluminium	20 Pcs.

AD-116 LED PANEL DOWN LIGHT

CRYSTA
SERIES



COLOUR : ●●●●●●●●
3 IN 1 : ●+●+●, ●+●+●, ●+●+●


Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-116-6W	6W	≥ 0.95	600	≥ 4KV	IP-20	95x80x25 mm	PC	40 Pcs.
AD-116-10W	10W	≥ 0.95	1000	≥ 4KV	IP-20	130x105x25 mm	PC	30 Pcs.
AD-116-15W	15W	≥ 0.95	1500	≥ 4KV	IP-20	150x156x25mm	PC	20 Pcs.



AD-118 LED RIMLESS SURFACE PANEL LIGHT

INVICTO SERIES



COLOUR : ○●○○

Green LED | Life 35000hrs | High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-118-8W	8W	≥ 0.9	800	≥ 4KV	IP-20	90X90X27	PC	40 Pcs.
AD-118-15W	15W	≥ 0.9	1500	≥ 4KV	IP-20	120X120X27	PC	20 Pcs.
AD-118-22W	22W	≥ 0.9	2000	≥ 4KV	IP-20	155X155X27	PC	20 Pcs.

AD-206 GINGER MODEL FLOOD LIGHT

ARMOUR SERIES



COLOUR : ○●●●●●

Green LED | Life 35000hrs | High Efficiency

Product Code	Watt	Power Factor	Withstand Voltage	Surge Protection	IP-Rating	Lumen (lm)	Finish Product Size	Finish Product Weight	Housing Type	Qty in Master Carton
AD-206-10W	10W	≥ 0.95	440Vac	≥ 3.5-4 KV	IP-66	1000	126x118x38 mm	350 gram	Aluminium	10 Pcs.
AD-206-20W	20W	≥ 0.95	440Vac	≥ 4.0 KV	IP-66	2000	185X182X43 mm	800 gram	Aluminium	10 Pcs.
AD-206-30W	30W	≥ 0.95	440Vac	≥ 6 KV	IP-66	3000	182x184x42 mm	820 gram	Aluminium	20 Pcs.
AD-206-50W	50W	≥ 0.95	440Vac	≥ 6 KV	IP-66	5000	223x227x49 mm	1340 gram	Aluminium	10 Pcs.
AD-206-100W	100W	≥ 0.95	440Vac	≥ 6 KV	IP-66	10000	275x285x64 mm	2000 gram	Aluminium	05 Pcs.
AD-206-150W	150W	≥ 0.95	440Vac	≥ 6 KV	IP-66	15000	292x292x68 mm	2660 gram	Aluminium	05 Pcs.
AD-206-200W	200W	≥ 0.95	440Vac	≥ 6 KV	IP-66	20000	337x317x68 mm	3770 gram	Aluminium	05 Pcs.
AD-206-300W	300W	≥ 0.95	440Vac	≥ 6 KV	IP-66	30000	318x420x93mm	5700 gram	Aluminium	1 Pcs.
AD-206-400W	400W	≥ 0.95	440Vac	≥ 6 KV	IP-66	40000	345x525x95mm	8056 gram	Aluminium	1 Pcs.
AD-206-500W	500W	≥ 0.95	440Vac	≥ 6 KV	IP-66	50000	355x630x95mm	9500 gram	Aluminium	1 Pcs.



AD-208 LED FLOOD LIGHT

**XTREAM
SERIES**



COLOUR : ○ ●

Green LED | Life 35000hrs | High Efficiency

Product Code	Watt	Power Factor	Withstand Voltage	Surge Protection	IP-Rating	Lumen (lm)	Finish Product Size	Finish Product Weight	Housing Type	Qty in Master Carton
AD-208-20W	20W	≥ 0.95	440Vac	≥ 4 KV	IP-66	2000	120X150X35MM	375 gram	Aluminium	20 Pcs.
AD-208-30W	30W	≥ 0.95	440Vac	≥ 4 KV	IP-66	3000	162X200X35MM	630 gram	Aluminium	20 Pcs.
AD-208-50W	50W	≥ 0.95	440Vac	≥ 6 KV	IP-66	5000	190X248X35MM	820 gram	Aluminium	10 Pcs.
AD-208-100W	100W	≥ 0.95	440Vac	≥ 6 KV	IP-66	10000	218X294X44MM	1400 gram	Aluminium	10 Pcs.
AD-208-150W	150W	≥ 0.95	440Vac	≥ 6 KV	IP-66	15000	240X345X42MM	2400 gram	Aluminium	5 Pcs.
AD-208-200W	200W	≥ 0.95	440Vac	≥ 6 KV	IP-66	20000	282X375X40MM	3210 gram	Aluminium	5 Pcs.

AD-209 LED HIGH BAY LIGHT

**UFO
SERIES**



COLOUR : ○ ● LENS MODEL

Green LED | Life 35000hrs | High Efficiency

Product Code	Watt	Power Factor	Withstand Voltage	Surge Protection	IP-Rating	Lumen (lm)	Finish Product Size	Finish Product Weight	Housing Type	Qty in Master Carton
AD-209-100W	100W	≥ 0.95	440Vac	≥ 6 KV	IP-66	10000	290X145mm	1595 gram	Aluminium	5 Pcs.
AD-209-150W	150W	≥ 0.95	440Vac	≥ 6 KV	IP-66	18000	370X145mm	2470 gram	Aluminium	1 Pcs.
AD-209-200W	200W	≥ 0.95	440Vac	≥ 6 KV	IP-66	20000	370X145mm	2585 gram	Aluminium	1 Pcs.
AD-209-300W	300W	≥ 0.95	440Vac	≥ 6 KV	IP-66	30000	395X145mm	3540 gram	Aluminium	1 Pcs.



AD-211 LED FLOOD LIGHT

RRR
SERIES



COLOUR : ● ○

Green LED | Life 35000hrs | High Efficiency

Product Code	Watt	Power Factor	Withstand Voltage	Surge Protection	IP-Rating	Lumen (lm)	Finish Product Size	Finish Product Weight	Housing Type	Qty in Master Carton
AD-211-50W	50W	≥ 0.95	440Vac	≥ 6 KV	IP-66	5000	182x182x42mm	810 gram	Aluminium	20 Pcs.
AD-211-100W	100W	≥ 0.95	440Vac	≥ 6 KV	IP-66	10000	223x227x49mm	1500 gram	Aluminium	10 Pcs.
AD-211-200W	200W	≥ 0.95	440Vac	≥ 6 KV	IP-66	20000	292x292x75mm	2890 gram	Aluminium	5 Pcs.

AD-223 LED FLOOD LIGHT

CRYSTAL
SERIES



COLOUR : ● ○


Green LED | Life 35000hrs | High Efficiency

Product Code	Watt	Power Factor	Withstand Voltage	Surge Protection	IP-Rating	Lumen (lm)	Finish Product Size	Finish Product Weight	Housing Type	Qty in Master Carton
AD-223-10W	10W	≥ 0.9	440Vac	≥ 4 KV	IP-66	1000	119X111X25 mm	180 gm	Aluminium	20 Pcs.
AD-223-20W	20W	≥ 0.9	440Vac	≥ 4 KV	IP-66	2000	135X115X25 mm	220 gm	Aluminium	20 Pcs.
AD-223-30W	30W	≥ 0.9	440Vac	≥ 4 KV	IP-66	3000	163X150X25 mm	304 gm	Aluminium	20 Pcs.
AD-223-50W	50W	≥ 0.9	440Vac	≥ 4 KV	IP-66	5000	220X180X25 mm	450 gm	Aluminium	20 Pcs.
AD-223-100W	100W	≥ 0.9	440Vac	≥ 4 KV	IP-66	10000	289X224X25 mm	725 gm	Aluminium	10 Pcs.
AD-223-200W	200W	≥ 0.9	440Vac	≥ 4 KV	IP-66	20000	395X297X25 mm	1530 gm	Aluminium	5 Pcs.



AD-301 LENS MODEL STREET LIGHT & SENSOR LENS STREET LIGHT

THUNDER SERIES



(SENSOR AVAILABLE 50W ONLY)



COLOUR : ○ ●

Green LED | Life 35000hrs | High Efficiency

Product Code	Watt	Power Factor	Withstand Voltage	Surge Protection	Pole Dia	IP-Rating	Lumen (lm)	Finish Product Size	Finish Product Weight	Housing Type	Qty in Master Carton
AD-301-20W	20W	≥ 0.95	440Vac	≥ 4 KV	35 mm	IP-66	2000	300x103x46 mm	530 gram	Aluminium	10 Pcs.
AD-301-24W	24W	≥ 0.95	440Vac	≥ 4 KV	35 mm	IP-66	2400	300x103x46 mm	540 gram	Aluminium	10 Pcs.
AD-301-30W	30W	≥ 0.95	440Vac	≥ 4 KV	35 mm	IP-66	3000	340x124x48 mm	680 gram	Aluminium	10 Pcs.
AD-301-36W	36W	≥ 0.95	440Vac	≥ 4 KV	35 mm	IP-66	3600	340x124x48 mm	680 gram	Aluminium	10 Pcs.
AD-301-50W	50W	≥ 0.95	440Vac	≥ 6 KV	35 mm	IP-66	5000	391x145x50 mm	855 gram	Aluminium	10 Pcs.
AD-301-72W	72W	≥ 0.95	440Vac	≥ 6 KV	35 mm	IP-66	7200	450x170x58 mm	1330 gram	Aluminium	5 Pcs.
AD-301-100W	100W	≥ 0.95	440Vac	≥ 6 KV	35 mm	IP-66	10000	450x170x58 mm	1330 gram	Aluminium	5 Pcs.

AD-303 LED STREET LIGHT

INDIAN SERIES



COLOUR : ○ ●

Green LED | Life 35000hrs | High Efficiency

Product Code	Watt	Power Factor	Withstand Voltage	Surge Protection	IP-Rating	Lumen (lm)	Pole Dia	Finish Product Size	Finish Product Weight	Housing Type	Qty in Master Carton
AD-303-150W	150W	≥ 0.95	440Vac	≥ 6 KV	IP-66	15000	60mm	543x225x78 mm	1950 gram	Aluminium	05 Pcs.
AD-303-200W	200W	≥ 0.95	440Vac	≥ 6 KV	IP-66	20000	60mm	596x235x78 mm	2000 gram	Aluminium	05 Pcs.



AD-401 COB BUTTON LIGHT

MAGIC
SERIES



COLOUR : ○ ● ○ ● ○ ● ○ ●

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Cut-Out Size (mm)	Power Factor	Surge Protection	Lumen (lm)	Size (mm)	IP-Rating	Housing Type	Qty in Master Carton
AD-401-3W	3W	32	≥ 0.50	≥ 1.5KV	180	40X27	IP-20	Aluminium	50 Pcs.

AD-402 STRIKER LED LIGHT

MELODY
SERIES



COLOUR : ○ ● ○ ● ○ ● ○ ●


Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	Size (mm)	IP-Rating	Housing Type	Qty in Master Carton
AD-402	3W	≥ 0.9	≥ 1.0KV	180	62X10	IP-20	Aluminium	100 Pcs.



AD-501 DRIVER (STREET LIGHT & FLOOD LIGHT)

AMAZE
SERIES



Product Code	Watt	Power Factor	Size : LxWxH	Product Specification	Qty in Master Carton
AD-501- 20W -24W	20W -24W	≥0.95/4KV	75X28X20 mm	I/P AC 100-300V,50Hz,0/P DC 28-40V,300mA±5%	50 Pcs.
AD-501- 30W-36W	30W-36W	≥0.95/4KV	92X29X22 mm	I/P AC 100-300V,50Hz,0/P DC 28-40V,900mA±5%	50 Pcs.
AD-501- 50W	50W	≥0.95/4KV	98X30X24 mm	I/P AC 100-300V,50Hz,0/P DC 28-40V,1.5A±5%	50 Pcs.
AD-501- 50W	50W	≥0.95/6KV	98X30X24 mm	I/P AC 100-300V,50Hz,0/P DC 28-40V,1.5A±5%	50 Pcs.

AD-502 PANEL LIGHT DRIVER

AMAZE
SERIES



Product Code	Watt	Output Voltage	Output Current	THD%	Power Factor	Surge Protection	Housing Type	Qty in Master Carton
AD-502- 3W-4W	3W-4W	9-12V	0.3000A	-	≥ 0.50	≥ 2 KV	PC	50 Pcs.
AD-502-8W-24W	8W-24W	54-66V	0.3000A	<15%	≥ 0.9	≥ 4 KV	PC	50 Pcs.



AD-503 ULTRA SLIM SMPS

TRIO
SERIES



Product Code	Watt	Output Voltage	Output Current	Power Factor	Housing Type	Qty in Master Carton
AD-503 - 24W	24W	12V	2A	≥ 0.50	Aluminium	50 Pcs.
AD-503 - 36W	36W	12V	3A	≥ 0.50	Aluminium	50 Pcs.
AD-503 - 60W	60W	12V	5A	≥ 0.50	Aluminium	50 Pcs.
AD-503 - 120W	120W	12V	10A	≥ 0.50	Aluminium	50 Pcs.
AD-503 - 150W	150W	12V	12.5A	≥ 0.50	Aluminium	20 Pcs.
AD-503 - 200W	200W	12V	16.5A	≥ 0.50	Aluminium	20 Pcs.
AD-503 - 300W	300W	12V	25A	≥ 0.50	Aluminium	20 Pcs.
AD-503 - 400W	400W	12V	33.3A	≥ 0.50	Aluminium	10 Pcs.

AD-506 LED STRIP LIGHT

MIRACLE
SERIES



COLOUR :

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	No. of LED/MTR	Lumen (Per LED)	LED PACKAGE	Total Length	Qty in Master Carton
AD-506- 24W	24W	60 LED	26-28	2835	5 Meters	50 Pcs.
AD-506- 60W	60W	240 LED	26-28	2835	5 Meters	50 Pcs.
AD-506- 40W	40W	120 LED	26-28	2835	5 Meters	50 Pcs.



AD-507 LED ROPE LIGHT

ROLEX
SERIES



COLOUR : ○ ● ○ ● ○ ● ○ ● ○ ● ○ ●

Triangle Colour : ○ ● ○ ●

Green LED | Life 25000hrs | High Efficiency

Product Code	Wattage (Per Mtr.)	No. of LED (Per Mtr.)	Lumen (Per Mtr.)	LED PACKAGE	Total Length	Qty in Master Carton
AD-507	8W	120 LED	700	2835	45 Meters	3 Pcs.

AD-601 DEEP SINE DOWN LIGHT

NITRO
SERIES



COLOUR : ○ ●

LED | Life 25000hrs | High Efficiency

Product Code	Watt	Cut-Out Size (mm)	Power Factor	Lumen (lm)	Surge Protection	Size (mm)	IP-Rating	Housing Type	Qty in Master Carton
AD-601- 6W	6W	45 mm	≥ 0.9	480	≥ 2.5 KV	85x65	IP-20	PC	20 Pcs.
AD-601-12W	12W	45 mm	≥ 0.5	960	≥ 2.5 KV	140x65	IP-20	PC	20 Pcs.

AD-602 GLORY SURFACE LIGHT

OXY
SERIES



COLOUR : ○ ● ○ ● ○ ● ○ ● ○ ● ○ ●

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	Size (mm)	IP-Rating	Housing Type	Qty in Master Carton
AD-602- 6W	6W	≥ 0.9	480	≥ 2.5 KV	85x44 mm	IP-20	PC	20 Pcs.
AD-602-12W	12W	≥ 0.5	960	≥ 2.5 KV	140x44 mm	IP-20	PC	20 Pcs.



AD-603 PC CONCEALED DOWN LIGHT

MIRAGE
SERIES



COLOUR : ○ ● ○ ● ○ ● ○ ●

3 IN 1 : ●+●+○, ○+●+○, ●+○+●

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Cut-Out Size (mm)	Power Factor	Lumen (lm)	Surge Protection	Size (mm)	IP-Rating	Housing Type	Qty in Master Carton
AD-603-8W	8W	80 mm	≥0.95	560	≥ 4 KV	110x46	IP-20	PC	50 Pcs.

AD-605 AL CONCEALED DOWN LIGHT

TEJAS
SERIES



COLOUR : ○ ● ○ ● ○ ● ○ ●

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Cut-Out Size (mm)	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-605-10W	10W	75 mm	≥0.95	700	≥4.0KV	IP-20	110x46 mm	Aluminium	50 Pcs.

AD-606 JUNCTION BOX LIGHT

DHOOM
SERIES



COLOUR : ○ ● ○ ● ○ ● ○ ●

3 IN 1 : ●+●+○, ○+●+○, ●+○+●

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Cut-Out Size (mm)	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-606-3W	3W	55 mm	≥0.5	210	≥ 0.5 KV	IP-20	80x32	PC	50 Pcs.



AD-607 LED PC DOWN LIGHT



RAFALE
SERIES

COLOUR :

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Cut-Out Size (mm)	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-607-6W	6W	75 mm	≥0.95	480	≥ 4 KV	IP-20	75 mm	PC	50 Pcs.

AD-614 COB CONCEALED LIGHT




CHETAK
SERIES

COLOUR :

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Cut-Out Size (mm)	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-614-3W	3W	55 mm	≥0.50	210	≥ 1.5 KV	IP-20	75x40	PC	50 Pcs.
AD-614-7W	7W	80 mm	≥0.95	490	≥ 3.5 KV	IP-20	106x47	PC	50 Pcs.
AD-614-12W	12W	105 mm	≥0.95	960	≥ 4 KV	IP-20	128x54	PC	30 Pcs.

AD-617 DEEP JUNCTION LIGHT



RAINBOW
SERIES

COLOUR : + Multi Colour , + Rainbow

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Cut-Out Size (mm)	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-617- 8W	8W	50 mm	≥0.5	680	≥ 2.5KV	IP-20	88x88x42 mm	PC	50 Pcs.
AD-617- 15W	15W	50 mm	≥0.5	1200	≥ 2.5KV	IP-20	115x115x45 mm	PC	50 Pcs.



AD-619 LED COB DOWN LIGHT

DECORE
SERIES




COLOUR : ○ ● ○ ● ○ ● ○ ● ○ ●

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Cut-Out Size (mm)	Power Factor	Lumen (lm)	Surge Protection	Size (mm)	IP-Rating	Housing Type	Qty in Master Carton
AD-619- 7W	7W	72 mm	≥0.9	525	≥ 4 KV	89x45	IP-20	PC	50 Pcs.

AD-620 LED CONCEALED LIGHT

STAR
SERIES



COLOUR : ○ ● ○ ● ○ ● ○ ● ○ ●

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Cut-Out Size (mm)	Power Factor	Lumen (lm)	Surge Protection	Size (mm)	Housing Type	Qty in Master Carton
AD-620-8W	8W	80 mm	≥ 0.95	640 mm	≥ 4 KV	110 mm	PC	50 Pcs.

AD-626 LED CONCEALED LIGHT

ROYAL
SERIES



COLOUR : ○ ● ○ ● ○ ● ○ ● ○ ●

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Cut-Out Size (mm)	Power Factor	Lumen (lm)	Surge Protection	Size (mm)	Housing Type	Qty in Master Carton
AD-626-6W	6W	72 mm	≥0.9	100	≥ 4 KV	110 mm	PC	50 Pcs.



AD-627 LED CONCEALED LIGHT

ASTRO
SERIES



Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Cut-Out Size (mm)	Power Factor	Lumen (lm)	Surge Protection	Size (mm)	IP-Rating	Housing Type	Qty in Master Carton
AD-627-3W	3W	40mm	≥0.9	210	≥ 4 KV	71 mm	IP-54	PC	50 Pcs.

AD-701 BULK-HEAD FITTING

AVIATOR
SERIES



COLOUR :

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-701- 10W	10W	≥ 0.95	1000	≥ 4KV	IP-54	170x68x46 mm	PC	50 Pcs.
AD-701- 20W	20W	≥ 0.5	2000	≥ 4KV	IP-54	210x97x55 mm	PC	20 Pcs.



AD-703 BULK-HEAD FITTING

AVIATOR
SERIES



AVAILABLE IN (3IN1 COLOUR)

COLOUR : ○ ●

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-703- 20W	20W	≥0.5	2000	≥3.5KV	IP54	163x55mm	PC	20 Pcs.
AD-703- 30W	30W	≥0.9	3000	≥3.5KV	IP54	216x66mm	PC	20 Pcs.

AD-704 BULK-HEAD FITTING

AVIATOR
SERIES



AVAILABLE IN (3IN1 COLOUR)

COLOUR : ○ ●

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-704- 20W	20W	≥0.5	2000	≥3.5KV	IP54	211X112X60 mm	PC	20 Pcs.
AD-704- 30W	30W	≥0.9	3000	≥3.5KV	IP54	266X141X74 mm	PC	10 Pcs.



AD-705 BULK-HEAD FITTING

AVIATOR
SERIES



AVAILABLE IN (3IN1 COLOUR)

COLOUR : ○ ●

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-705-20W	20W	≥0.5	2000	≥3.5KV	IP54	162x162x55mm	PC	20 Pcs.
AD-705-30W	30W	≥0.9	3000	≥3.5KV	IP54	216x216x67mm	PC	20 Pcs.

AD-706 BULK-HEAD FITTING

AVIATOR
SERIES



AVAILABLE IN (3IN1 COLOUR)

COLOUR : ○ ●

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-706-20W	20W	≥0.5	2000	≥3.5KV	IP54	212x112x60mm	PC	20 Pcs.
AD-706-30W	30W	≥0.9	3000	≥3.5KV	IP54	268x145x70mm	PC	20 Pcs.



AD-802 TRIMLESS DEEP COB LIGHT

DECORE
SERIES



Reflector Colour : Z BLACK



Reflector Colour : ROSE GOLD

COLOUR : CW, WW, NW

BRIDGLUX
COB CHIP

Green
LED

Life 25000hrs

High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Cut out Size (mm)	Housing Type	Qty in Master Carton
AD-802- 7W	7W	≥0.5	700	≥2.5KV	IP-20	65x58 mm	53 mm	Aluminium	20 Pcs.
AD-802-12W	12W	≥0.95	1200	≥4KV	IP-20	84x78 mm	74 mm	Aluminium	20 Pcs.
AD-802-18W	18W	≥0.95	1800	≥4KV	IP-20	102x98 mm	90 mm	Aluminium	20 Pcs.

AD-803 LED MOVABLE COB LIGHT

HORNED
SERIES



COLOUR : CW, WW, NW

Green
LED

Life 25000hrs


High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Cut out Size (mm)	Housing Type	Qty in Master Carton
AD-803- 3W	3W	≥0.5	240	≥ 2.5 KV	IP-20	68x40mm	52mm	Aluminium	40 Pcs.
AD-803- 7W	7W	≥0.9	700	≥ 2.5 KV	IP-20	87x55mm	71mm	Aluminium	40 Pcs.
AD-803-12W	12W	≥0.9	1200	≥ 4 KV	IP-20	111x71mm	91mm	Aluminium	30 Pcs.
AD-803-18W	18W	≥0.9	1800	≥ 4 KV	IP-20	140x80mm	115mm	Aluminium	20 Pcs.
AD-803-30W	30W	≥0.9	2400	≥ 4 KV	IP-20	188x80mm	130mm	Aluminium	10 Pcs.



AD-805 CYLINDER COB LED LIGHT

FOSSIL
SERIES




COLOUR : CW, WW, NW

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Cut out Size (mm)	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-805-10W	10W	NA	≥ 0.5	1000	≥ 2.5KV	IP-20	54X34X100	Aluminium	50 Pcs.
AD-805-20W	20W	NA	≥ 0.9	2000	≥ 4KV	IP-20	75X75X130	Aluminium	50 Pcs.

AD-807 LED WALL LIGHT UP/DOWN

DECORE
SERIES



2 EYE

4 EYE

COLOUR : ●

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-807- 2W	2W	≥0.5	140	≥2.5KV	IP20	80x74x35mm	AL	20 Pcs.
AD-807- 4W	4W	≥0.5	280	≥2.5KV	IP20	110x80x38mm	AL	20 Pcs.

AD-810 LED WALL LIGHT

DECORE
SERIES



2 WAY

4 WAY

COLOUR : ●

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-810- 2W	2W	≥0.5	140	≥2.5KV	IP20	59x59x44mm	AL	20 Pcs.
AD-810- 4W	4W	≥0.5	280	≥2.5KV	IP20	59x59x44mm	AL	20 Pcs.



AD-059 LED WALL LIGHT

DECORE
SERIES



COLOUR : ●

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-059- 3W	3W	≥0.50	180	2.5 KV	IP-65	75x80x60 mm	Aluminium	20 Pcs.
AD-059- 6W	6W	≥0.50	360	2.5 KV	IP-65	140x80x60 mm	Aluminium	20 Pcs.

AD-525 LED STEP LIGHT

DECORE
SERIES



COLOUR : ●

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-525	3W	≥0.5	120	≥1.5 KV	IP-65	84x84x47 mm	Aluminium	20 Pcs.



AD-818 COB TRACK LIGHT

FRONX
SERIES



COLOUR : ● ○ ○

Body Colour : Black Only

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-818-10W	10W	≥0.5	900	≥2.5KV	IP20	133x133mm	AL	10 Pcs.
AD-818-20W	20W	≥0.9	1800	≥4.0KV	IP20	136x139mm	AL	10 Pcs.
AD-818-30W	30W	≥0.9	2700	≥4.0KV	IP20	164x160mm	AL	10 Pcs.
AD-818-50W	50W	≥0.9	4500	≥4.0KV	IP20	180x180mm	AL	10 Pcs.

AD-819 COB WALL LIGHT

FOSSIL
SERIES



COLOUR : ● ○ ○

Body Colour : Black Only

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Housing size	Base Dia (mm)	Housing Type	Qty in Master Carton
AD-819-3W	3W	≥0.5	270	≥2.5KV	IP20	40x75mm	60x106mm	AL	20 Pcs.
AD-819-6W	6W	≥0.5	540	≥2.5KV	IP20	50x93mm	60x117mm	AL	20 Pcs.
AD-819-9W	9W	≥0.5	810	≥2.5KV	IP20	60x104mm	60x125mm	AL	20 Pcs.
AD-819-16W	16W	≥0.9	1440	≥4.0KV	IP20	76x141mm	80x146mm	AL	10 Pcs.
AD-819-30W	30W	≥0.9	2700	≥4.0KV	IP20	97x265 mm	100X170mm	AL	10 Pcs.
AD-819-50W	50W	≥0.9	4500	≥4.0KV	IP20	115x292 mm	122X190mm	AL	10 Pcs.



AD-902 LED BULB 0.5W

JUPITER
SERIES



COLOUR : ○ ● ○ ● ● ● Base Cap : B22

Product Code	Watt	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-902	0.5 W	IP20	45 X 70mm	PC	60 Pcs.

Green LED | Life 10000hrs | High Efficiency

AD-902 LED BULB

JUPITER
SERIES



COLOUR : ● ○ Base Cap : B22

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-902 - 5W	5W	≥ 0.9KV	500	≥ 4KV	IP20	50x94 MM	PC	60 Pcs.
AD-902 - 7W	7W	≥ 0.9KV	700	≥ 4KV	IP20	50x94 MM	PC	100 Pcs.
AD-902 - 9W	9W	≥ 0.9KV	900	≥ 4KV	IP20	60x110 MM	PC	100 Pcs.
AD-902 - 12W	12W	≥ 0.9KV	1200	≥ 4KV	IP20	60x110 MM	PC	100 Pcs.
AD-902 - 15W	15W	≥ 0.9KV	1500	≥ 4KV	IP20	70x132 MM	PC	50 Pcs.
AD-902 - 18W	18W	≥ 0.9KV	1800	≥ 4KV	IP20	80x147 MM	PC	40 Pcs.
AD-902 - 20W	20W	≥ 0.9KV	2500	≥ 4KV	IP20	80x140 MM	PC	40 Pcs.
AD-902 - 36W	36W	≥ 0.9KV	3600	≥ 4KV	IP20	163x98 MM	PC	20 Pcs.
AD-902 - 45W	45W	≥ 0.9KV	4500	≥ 4KV	IP20	123x200 MM	PC	20 Pcs.
AD-902 - 55W	55W	≥ 0.9KV	5500	≥ 4KV	IP20	134x217 MM	PC	20 Pcs.
AD-902 - 65W	65W	≥ 0.9KV	6500	≥ 4KV	IP20	143X222 MM	PC	20 Pcs.



AD-903 EMERGENCY LED BULB

ROOSTER
SERIES



COLOUR : ○


Base Cap : B22

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-903-9W	9W	≥0.95	900	≥4.0KV	IP20	140x70mm	PC	50 Pcs.

AD-904 T-BULB

MARS
SERIES



180° Rotation

COLOUR : ● ○ **Base Cap : B22**

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-904-10W	10W	≥ 0.9	900	≥ 4KV	IP-20	200x30x104 mm	PC	40 Pcs.
AD-904-12W	12W	≥ 0.9	1080	≥ 4KV	IP-20	200x30x104 mm	PC	40 Pcs.



AD-120 LED BATTEN LIGHT

JUPITER
SERIES



COLOUR : *Green* LED | Life 25000hrs | High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-120 - 8W	8W	≥0.90	800	≥4.0KV	IP20	304x20x29mm	PC	20 Pcs.
AD-120 - 12W	12W	≥0.90	1200	≥4.0KV	IP20	608x20x29mm	PC	20 Pcs.
AD-120 - 22W	22W	≥0.90	2200	≥4.0KV	IP20	1095x20x29mm	PC	20 Pcs.

AD-121 LED BATTEN LIGHT

JUPITER
SERIES



COLOUR : *Green* LED | Life 25000hrs | High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-121 - 36W	36W	≥0.90	3600	≥4.0KV	IP20	1135x30x35mm	PC	20 Pcs.




BLDC FANS





Certificate



Registration Certificate

This is to certify that

ADSUN LIGHTING PVT. LTD.

PLOT NO. 110, PHASE-IV, SECTOR-56, HSIIDC, INDL. AREA, KUNDLI, SONEPAT, HARYANA-131028, INDIA

PLOT NO. 366, INDUSTRIAL ESTATE, PHASE-V, HSIIDC SECTOR 56, KUNDLI, HARYANA-131028, INDIA

has been assessed and certified by RBS Cert. as meeting the requirements of

ISO 9001:2015

Quality Management System


For the following scope of activities:

MANUFACTURING OF LED PANEL LIGHT /ULTRASLM/ ULTRA SURFACE/CONCEALED LIGHT, LED DRIVER, STREET LIGHT, FLOOD LIGHT, SMPS, LED BULB & TUBELIGHT.


Date of initial Registration: 13th November 2024 2nd Surveillance Audit Due: 12th November 2026
1st Surveillance Audit Due: 12th November 2025 Recertification Due: 12th November 2027

Certificate Number 201608101276R


Validity of this certificate is subject to Annual Surveillance audits to be done successfully on or before 365 days from date of the Audit. (In case Surveillance Audit is not allowed to be conducted, this certificate shall be Suspended/ withdrawn).
The validity of this certificate can be verified at www.rbscert.com
This Certificate of registration remains the Property of RBS Quality Certification Pvt. Ltd. and shall be returned immediately upon request.
Email : info@rbscert.com website : www.rbscert.com



RBS Quality Certification Pvt. Ltd. is Accredited by IAF-UK Ltd. (www.iaf-uk.co.uk) Kemp House 18B, City Road, London, United Kingdom, EC2N 2NK, UK



RBS Quality Certification Pvt. Ltd. is Accredited by IAF-UK Ltd. (www.iaf-uk.co.uk) Kemp House 18B, City Road, London, United Kingdom, EC2N 2NK, UK



Director



Certificate of Compliance

CE

We hereby declare that the technical file of product complied with the requirement of directives 2006/42/EC Machinery Directive & 97/23/EC Pressure Equipment Directive.

Certificate No.: CE-5162

Name : ADSUN LIGHTING PVT. LTD.
Address : PLOT NO. 110, PHASE-IV, SECTOR-56, HSIIDC, INDL. AREA, KUNDLI, SONEPAT, HARYANA-131028, INDIA
PLOT NO. 366, INDUSTRIAL ESTATE, PHASE-V, HSIIDC SECTOR 56, KUNDLI, HARYANA-131028, INDIA

Product : MANUFACTURING OF LED PANEL LIGHT /ULTRASLM/ ULTRA SURFACE/ CONCEALED LIGHT, LED DRIVER, STREET LIGHT, FLOOD LIGHT, SMPS, LED BULB & TUBELIGHT

The Certification body has performed an audit of the above product quality system covering the design, manufacture and final inspection of the certified product. The quality system has been assessed, approved and is subject to continuous surveillance according to Directive 2006/42/EC Machinery Directive & 97/23/EC Pressure Equipment Directive.

This certificate is issued under the following conditions:

- It applies only to the quality system maintained in the manufacture of above referenced models and it does not substitute the design or type-examination procedures, if requested.
- The certificate remains valid until the manufacturing conditions or the quality systems are changed.
- The certificate validity is conditioned by positive results or surveillance audits.
- The CE mark as shown above can be used, under the responsibility of the manufacturer, after completion of an EC Declaration of conformity and compliance with all relevant EC Directives. The statement is based on a single evaluation of one sample of above mentioned product. It does not imply an assessment of the whole production.

Validity of this certificate can be verified at www.rbscert.com/verify

Date of initial registration	13th November 2024
1st Surveillance Audit due	12th November 2025
2nd Surveillance Audit due	12th November 2026
Recertification due	12th November 2027

(Subject to the company maintaining its system to the required standard)


Validity of this certificate is subject to Annual Surveillance audits to be done successfully on or before 365 days from date of the Audit. (In case Surveillance Audit is not allowed to be conducted, this certificate shall be Suspended/ withdrawn).
The validity of this certificate can be verified at www.rbscert.com
This Certificate of registration remains the Property of RBS Quality Certification Pvt. Ltd. and shall be returned immediately upon request.
Email : info@rbscert.com website : www.rbscert.com



RBS Quality Certification Pvt. Ltd. is Accredited by IAF-UK Ltd. (www.iaf-uk.co.uk) Kemp House 18B, City Road, London, United Kingdom, EC2N 2NK, UK



Director



Certificate of Compliance

RoHS Directive (2002/95/EC) of the European Parliament and of the Council on the restriction of Use of certain Hazardous Substances in Electrical and Electronic Equipments.

Certificate No. -UR-5163

Manufacturer
Name : ADSUN LIGHTING PVT. LTD.
Address : PLOT NO. 110, PHASE-IV, SECTOR-56, HSIIDC, INDL. AREA, KUNDLI, SONEPAT, HARYANA-131028, INDIA
PLOT NO. 366, INDUSTRIAL ESTATE, PHASE-V, HSIIDC SECTOR 56, KUNDLI, HARYANA-131028, INDIA

Product : MANUFACTURING OF LED PANEL LIGHT /ULTRASLM/ ULTRA SURFACE/ CONCEALED LIGHT, LED DRIVER, STREET LIGHT, FLOOD LIGHT, SMPS, LED BULB & TUBELIGHT.


This is to state that the above mentioned product is in compliance with RoHS Directive (2002/95/EC) of the European Parliament and Commission Decision 2005/618/EC on the restriction of use of certain Hazardous Substance (Lead (Pb), Mercury (Hg), Cadmium (Cd), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBBs) and Polybrominated Diphenyl) ethers (PBDEs) in Electrical and Electrical Equipments

Statement:
This certificate declares that the product type / model describe above complies with the mentioned above European Standard(s)


Remarks:
This certificate of complies is based on the evaluation of a sample of the above mentioned products. It does not imply and assessment of the mass-production of the product. This certificate holder may use this certificate in connection with the test report. The certification body should be informed (revision of technical file) for any modification or alterations made to the aforementioned product type(s), including design and manufacture and/or extension to the existing scope of application.

Date of initial Registration: 13th November 2024 2nd Surveillance Audit Due: 12th November 2026
1st Surveillance Audit Due: 12th November 2025 Recertification Due: 12th November 2027


Validity of this certificate is subject to Annual Surveillance audits to be done successfully on or before 365 days from date of the Audit. (In case Surveillance Audit is not allowed to be conducted, this certificate shall be Suspended/ withdrawn).
The validity of this certificate can be verified at www.rbscert.com
This Certificate of registration remains the Property of RBS Quality Certification Pvt. Ltd. and shall be returned immediately upon request.
Email : info@rbscert.com website : www.rbscert.com



RBS Quality Certification Pvt. Ltd. is Accredited by IAF-UK Ltd. (www.iaf-uk.co.uk) Kemp House 18B, City Road, London, United Kingdom, EC2N 2NK, UK



RoHS compliant



Director



भारतीय मानक ब्यूरो

भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS
Ministry of Consumer Affairs, Food & Public Distribution,
Govt. of India

बिल्डिंग नं. 9, राधाकृष्ण जीव भवन, नई दिल्ली - 110002
Minsk Bhawan, 9 Bahadur Shah Zafar Marg, New Delhi - 110002
दूरभाष / Phone: +91-11-23238856/23238857/23238858
ई-मेल / E-mail: registration@bis.gov.in
वेबसाइट / Website: <https://bis.gov.in> / <https://www.crbis.in/BIS/>

Our Ref: Registration/CRS 2024-1444-R-91015270 Date: 05-Apr-2024

Subject : Licence Document

Manufacturing Unit:	Adsun Lighting Private Limited PLOT NO. 366, PHASE-V, SECTOR-56, KUNDLI,SONIPAT ,HARYANA HARYANA,INDIA-131028 adsunlighting@gmail.com 9315912940	
---------------------	--	---

Dear Sir,

1. With reference to your Application, we are pleased to inform you that it has been decided to grant you licence as per details given below :

Product Category:	DC or AC Supplied Electronic Controlgear for LED Modules
Product Name:	AC SUPPLIED ELECTRONIC CONTROLGEAR FOR LED MODULES
IS NO.:	IS 15885 (PART 2:SEC 13) : 2012
Brand (As Declared by Manufacturer):	LISTER
Model:	[Brand -> LISTER, Models -> 100W, 10W, 15W, 20-24W, 30-36W, 45W, 50W, AD 20-24W, AD-50W, ADD 20-24W]
Factory Address:	PLOT NO. 366, PHASE-V, SECTOR-56, KUNDLI,SONIPAT HARYANA HARYANA,INDIA-131028

- The licence is being granted for your unit located at the address and for the brand and models mentioned at serial no 1 above.
- The number assigned to this Licence is **R-91015270** which has been made operative from **05-Apr-2024** and is valid upto **04-Apr-2026**. The Licence Number should invariably be referred to in your future correspondence.
- The rights and privileges under the licence shall not be exercised by any other factory / organization at any other location. This licence is not transferable. In the event of shifting of the manufacturing machinery from the registered premises to some other place use of the licence Number shall be stopped and BIS shall be informed.
- The licensee shall comply with the provisions of the Act, rules and regulations framed thereunder and as amended from time to time.
- The licensee shall follow the guidelines for the use of Standard Mark and labeling requirements as per Annex-1.
- The licensee shall not use the licence in any manner which contravenes the provisions of Act, rules and regulations framed thereunder and as amended from time to time.
- Upon expiry of validity, stoppage or suspension or cancellation of licence, you shall discontinue further self declaration of conformity to the relevant Indian Standard(s) and withdraw all promotional and advertising matter which contains any reference thereon.
- For renewal of licence, the licensee shall have to apply to BIS three months in advance before expiration of the licence and application form for renewal is available on BIS website.
- The licence is not transferable. Kindly acknowledge receipt of this letter.

Thanking you,

Yours faithfully,
(Arunima Kabra)
Secretary D
Tel: +91-11-23238856
E-mail: registration@bis.gov.in

Note: This is a system generated letter. Hence signature is not required.
To verify authentication of letter, kindly scan the QR code on this letter.



Certificate

 भारतीय मानक ब्यूरो (एनएसआर) भारत सरकार द्वारा स्थापित किया गया है, भारत सरकार। BUREAU OF INDIAN STANDARDS (Ministry of Consumer Affairs, Food & Public Distribution, Govt. of India)		मानक भवन, 9 बहादुर शाह ज़फ़र मार्ग, नई दिल्ली - 110002 Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi - 110002 टूरफोन / Phone: +91-11-23230856/2323010131/23233375/23239402 ई-मेल / E-mail: registration@bis.gov.in वेबसाइट / Website: https://bis.gov.in/ , https://www.crbis.in/BIS/	
Our Ref: Registration CRS 2024-1616R-91015288		Date: 05-Apr-2024	
Subject : Licence Document			
Manufacturing Unit:	Adson Lighting Private Limited PLOT NO. 366, PHASE-V, SECTOR-56, KUNDLISONIPAT_HARYANA HARYANA, India-131028 adsonlighting@gmail.com 9315912040		
Dear Sir,			
I. With reference to your Application, we are pleased to inform you that it has been decided to grant you licence as per details given below :			
Product Category:	Fixed General Purpose LED Luminaires		
Product Name:	FIXED GENERAL PURPOSE LED LUMINAIRES		
IS NO :	IS 10322 (PART 5/SEC 1) : 2012		
Brand (As Declared by Manufacturer) :	LISTER		
Model :	[Brand -> LISTER, Models -> 10W, 12W, 15W, 20W, 22W, 30W, 5W, 6W, 8W]		
Factory Address :	PLOT NO. 366, PHASE-V, SECTOR-56, KUNDLISONIPAT_HARYANA HARYANA, India-131028		
2. The licence is being granted for your unit located at the address and for the brand and models mentioned at serial no 1 above. 3. The number assigned to this Licence is R-91015288 which has been made operative from 05-Apr-2024 and is valid upto 04-Apr-2026 . The Licence Number should invariably be referred to in your future correspondence. 4. The rights and privileges under the licence shall not be exercised by any other factory / organization at any other location. This licence is not transferable. In the event of shifting of the manufacturing machinery from the registered premises to some other place use of the licence Number shall be stopped and BIS shall be informed. 5. The licensee shall comply with the provisions of the Act, rules and regulations framed thereunder and as amended from time to time. 6. The licensee shall follow the guidelines for the use of Standard Mark and labeling requirements as per Annex-1. 7. The licensee shall not use the licence in any manner which contravenes the provisions of Act, rules and regulations framed thereunder and as amended from time to time. 8. Upon expiry of validity, stoppage or suspension or cancellation of licence, you shall discontinue forthwith the self declaration of conformity to the relevant Indian Standard(s) and withdraw all promotional and advertising matter which contains any reference thereto. 9. For renewal of licence, the licensee shall have to apply to BIS three months in advance before expiration of the licence and application form for renewal is available on BIS website. 10. The licence is not transferable. Kindly acknowledge receipt of this letter.			
Thanking you,		Yours faithfully, (Aurosmita Kabiraj) Scientist D Telfax : +91-11-23230856 E-mail: registration@bis.gov.in	
Note: This is a system generated letter. Hence signature is not required. To verify authentication of letter, kindly scan the QR code on this letter.			

 भारतीय मानक ब्यूरो (एनएसआर) भारत सरकार द्वारा स्थापित किया गया है, भारत सरकार। BUREAU OF INDIAN STANDARDS (Ministry of Consumer Affairs, Food & Public Distribution, Govt. of India)		मानक भवन, 9 बहादुर शाह ज़फ़र मार्ग, नई दिल्ली - 110002 Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi - 110002 टूरफोन / Phone: +91-11-23230856/2323010131/23233375/23239402 ई-मेल / E-mail: registration@bis.gov.in वेबसाइट / Website: https://bis.gov.in/ , https://www.crbis.in/BIS/	
Our Ref: Registration/CRS 2024-1278R-91015318		Date: 05-Apr-2024	
Subject : Licence Document			
Manufacturing Unit:	Adson Lighting Private Limited PLOT NO. 366, PHASE-V, SECTOR-56, KUNDLISONIPAT_HARYANA HARYANA, India-131028 adsonlighting@gmail.com 9315912040		
Dear Sir,			
I. With reference to your Application, we are pleased to inform you that it has been decided to grant you licence as per details given below :			
Product Category:	Recessed LED Luminaires		
Product Name:	Recessed LED Luminaires		
IS NO :	IS 10322 (PART 5/SEC 2) : 2012		
Brand (As Declared by Manufacturer) :	LISTER		
Model :	[Brand -> LISTER, Models -> 10W, 12W, 15W, 22W, 3W, 5W, 6W, 7W, 8W]		
Factory Address :	PLOT NO. 366, PHASE-V, SECTOR-56, KUNDLISONIPAT_HARYANA HARYANA, India-131028		
2. The licence is being granted for your unit located at the address and for the brand and models mentioned at serial no 1 above. 3. The number assigned to this Licence is R-91015318 which has been made operative from 05-Apr-2024 and is valid upto 04-Apr-2026 . The Licence Number should invariably be referred to in your future correspondence. 4. The rights and privileges under the licence shall not be exercised by any other factory / organization at any other location. This licence is not transferable. In the event of shifting of the manufacturing machinery from the registered premises to some other place use of the licence Number shall be stopped and BIS shall be informed. 5. The licensee shall comply with the provisions of the Act, rules and regulations framed thereunder and as amended from time to time. 6. The licensee shall follow the guidelines for the use of Standard Mark and labeling requirements as per Annex-1. 7. The licensee shall not use the licence in any manner which contravenes the provisions of Act, rules and regulations framed thereunder and as amended from time to time. 8. Upon expiry of validity, stoppage or suspension or cancellation of licence, you shall discontinue forthwith the self declaration of conformity to the relevant Indian Standard(s) and withdraw all promotional and advertising matter which contains any reference thereto. 9. For renewal of licence, the licensee shall have to apply to BIS three months in advance before expiration of the licence and application form for renewal is available on BIS website. 10. The licence is not transferable. Kindly acknowledge receipt of this letter.			
Thanking you,		Yours faithfully, (Ainendra Kumar) Scientist D Telfax : +91-11-23230856 E-mail: registration@bis.gov.in	
Note: This is a system generated letter. Hence signature is not required. To verify authentication of letter, kindly scan the QR code on this letter.			

 भारतीय मानक ब्यूरो (एनएसआर) भारत सरकार द्वारा स्थापित किया गया है, भारत सरकार। BUREAU OF INDIAN STANDARDS (Ministry of Consumer Affairs, Food & Public Distribution, Govt. of India)		मानक भवन, 9 बहादुर शाह ज़फ़र मार्ग, नई दिल्ली - 110002 Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi - 110002 टूरफोन / Phone: +91-11-23230856/2323010131/23233375/23239402 ई-मेल / E-mail: registration@bis.gov.in वेबसाइट / Website: https://bis.gov.in/ , https://www.crbis.in/BIS/	
Our Ref: Registration CRS 2023-5753R-91014303		Date: 24-Nov-2023	
Subject : Licence Document			
Manufacturing Unit:	Adson Lighting Private Limited SECTOR-56, PLOT NO. 110, PHASE-IV, HSIHDC INDUSTRIAL ESTATE, KUNDLISONIPAT, HARYANA, 131028 HARYANA, India-131028 amishub712@gmail.com 9711246303		
Dear Sir,			
I. With reference to your Application, we are pleased to inform you that it has been decided to grant you licence as per details given below :			
Product Category:	Self-Ballasted LED Lamps for general Lighting Services		
Product Name:	SELF-BALLASTED LED LAMPS FOR GENERAL LIGHTING SERVICES		
IS NO :	IS 16102 (PART 1) : 2012		
Brand (As Declared by Manufacturer) :	Lister		
Model :	[Brand -> Lister, Models -> ADB-12W, ADB-15W, ADB-18W, ADB-20W, ADB-30W, ADB-3W, ADB-5W, ADB-7W, ADB-9W]		
Factory Address :	SECTOR-56, PLOT NO. 110, PHASE-IV, HSIHDC INDUSTRIAL ESTATE, KUNDLISONIPAT, HARYANA, 131028 HARYANA, India-131028		
2. The licence is being granted for your unit located at the address and for the brand and models mentioned at serial no 1 above. 3. The number assigned to this Licence is R-91014303 which has been made operative from 24-Nov-2023 and is valid upto 23-Nov-2025 . The Licence Number should invariably be referred to in your future correspondence. 4. The rights and privileges under the licence shall not be exercised by any other factory / organization at any other location. This licence is not transferable. In the event of shifting of the manufacturing machinery from the registered premises to some other place use of the licence Number shall be stopped and BIS shall be informed. 5. The licensee shall comply with the provisions of the Act, rules and regulations framed thereunder and as amended from time to time. 6. The licensee shall follow the guidelines for the use of Standard Mark and labeling requirements as per Annex-1. 7. The licensee shall not use the licence in any manner which contravenes the provisions of Act, rules and regulations framed thereunder and as amended from time to time. 8. Upon expiry of validity, stoppage or suspension or cancellation of licence, you shall discontinue forthwith the self declaration of conformity to the relevant Indian Standard(s) and withdraw all promotional and advertising matter which contains any reference thereto. 9. For renewal of licence, the licensee shall have to apply to BIS three months in advance before expiration of the licence and application form for renewal is available on BIS website. 10. The licence is not transferable. Kindly acknowledge receipt of this letter.			
Thanking you,		Yours faithfully, (Aurosmita Kabiraj) Scientist D Telfax : +91-11-23230856 E-mail: registration@bis.gov.in	
Note: This is a system generated letter. Hence signature is not required. To verify authentication of letter, kindly scan the QR code on this letter.			

 भारतीय मानक ब्यूरो (एनएसआर) भारत सरकार द्वारा स्थापित किया गया है, भारत सरकार। BUREAU OF INDIAN STANDARDS (Ministry of Consumer Affairs, Food & Public Distribution, Govt. of India)		मानक भवन, 9 बहादुर शाह ज़फ़र मार्ग, नई दिल्ली - 110002 Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi - 110002 टूरफोन / Phone: +91-11-23230856/2323010131/23233375/23239402 ई-मेल / E-mail: registration@bis.gov.in वेबसाइट / Website: https://bis.gov.in/ , https://www.crbis.in/BIS/	
Our Ref: REGISTRATION /CRS-2019-2146/R-91004553		Date: 2023-06-29 15:50:01	
RENEWAL ID : 21006			
Subject : RENEWAL OF LICENCE R-91004553 AS PER IS 13252(Part 1):2010/ IEC 60950-1 : 2005			
Adson Lighting Private Limited SECTOR-56, PLOT NO. 110, PHASE-IV, HSIHDC INDUSTRIAL ESTATE, KUNDLISONIPAT, HARYANA, 131028 HARYANA, India, 131028			
Dear Sir/Madam,			
With reference to your online application dated 29-06-2023 for renewal of the above mentioned licence, this is to inform you that the same has been renewed from 11-07-2023 to 10-07-2025 .			
It may be noted that the said licence granted under clause (b) of sub section (2) of section 13 of the Act shall <i>expire</i> at the end of the period for which it is granted unless renewed or its renewal is deferred. You are, therefore, requested to apply for next renewal to BIS within three months before the expiration of the licence.			
Thanking you,		Yours faithfully, Registration Department Bureau of Indian Standards, 9, Bahadur Shah Zafar Marg, New Delhi-110002. Telfax : +91-11-23230856 E-mail: registration@bis.gov.in	
Note: This is a system generated letter. Hence signature is not required. To verify authentication of letter, kindly scan the QR code on this letter.			
For details information on BIS, consult the e-BIS Portal (www.manakonline.in). Please use BIS CARE APP for verification of ISI-marked goods and hallmarked gold jewellery.			



Youtube

**JOIN US
NOW**



Catalogue
2025



LED LIGHTS



GET IN TOUCH WITH US

Adsun Lighting Pvt. Ltd.

UNIT-I

Plot No. 366, Sector-56, Phase-V,
HSIIDC Industrial Estate Kundli
Distt. Sonapat-131028 (Haryana).

UNIT-II

Plot No. 110, Sector-56, Phase-IV,
HSIIDC Industrial Estate Kundli
Distt. Sonapat-131028 (Haryana).

Customer Care No. : 18005722920

Email : info@listerled.com

www.listerled.com



Facebook



Instagram

